Chemistry Paper 1

Model Exam Question Booklet

Essential Content for the Foundation Trilogy
Science Exam
(HTH/KYO)

This booklet is split into 3 parts:

Chemistry Paper 1		
Topics in th	Topics in the Paper:	
C2	Periodic Table	
С3	Structure and Bonding	
C 5	Chemical Changes	
C6	Electrolysis	
RP8	Preparing a Salt	
RP9	Electrolysis	
RP10	Temperature Changes	

Part 1

The first part is a selection of short response questions and answers that are likely to come in your Chemistry exams this summer. Spend time learning the answers to these questions, for example you could produce flash cards. You should self quiz yourself on these questions regularly!

Part 2

Selection of extended response questions (4 to 6 marks) that are likely to be on your paper this year, either because they have not been assessed in the last couple of years, or because they come up most years in exams. Prepare and practice your responses to these questions.

Part 3

Required practical section. In this section you will find step by step guidance for each practical. This is followed by a page of short response questions and answers to learn for each of the practicals. There are also some extended response questions (4 to 6 marks) that are very likely to be on the exam paper this year.

C2: Periodic Table

- 1. How are elements in the periodic table arranged?
- 2. Why is the periodic table called this?
- 3. Why do elements in the same group have similar properties?
- 4. How were elements arranged in the past?
- 5. What were the problems with the early periodic table?
- 6. How did Mendeleev overcome the problems of the early periodic table?
- 7. What type of ions do metals form?
- 8. What type of ions do non-metals form?
- 9. Where are metals found on the periodic table?
- 10. Where are non-metals found on the periodic table?
- 11. What are the elements in group 0 known as?
- 12. Why are elements in group 0 unreactive?
- 13. Why are elements in group 0 monatomic?
- 14. What happens to boiling point down group 0?
- 15. What are elements in group 1 known as?
- 16. What happens to reactivity down group 1?
- 17. Why does reactivity increase down group 1?
- 18. What happens when a group 1 element reacts with oxygen?
- 19. What happens when a group 1 element reacts with chlorine?
- 20. What happens when a group 1 element reacts with water?
- 21. What are the elements in group 7 called?
- 22. What happens to reactivity down group 7?
- 23. Why does reactivity decrease down group 7?
- 24. Why are the halogens in group 7?
- 25. What colour vapour does fluorine have?
- 26. What colour vapour does chlorine have?
- 27. What colour vapour does bromine have?
- 28. What colour vapour does iodine?

- In order of atomic number.
- 2. Elements with similar properties occur at regular properties.
- 3. They have the same number of electrons in their outermost shell.
- 4. In order of atomic weight.
- 5. Not all of the elements had been discovered and when elements were placed in order of atomic weight they ended up in the same group.
- 6. He left gaps for undiscovered elements and he the changed the order of some elements.
- 7. Positive
- 8. Negative
- 9. On the left and towards the bottom.
- 10. On the right and towards the top.
- 11. Noble gases.
- 12. The atoms have a stable arrangement of electrons. They all have full outermost shells.
- 13. They have a full shell and do not lose or gain electrons.
- 14. Boiling point increases.
- 15. Alkali Metals
- 16. It increases
- 17. Down the group atoms get bigger, there is a weaker attraction between the nucleus and so it becomes easier to lose electrons.
- 18. Alkali Metal + Oxygen → Metal Oxide
- 19. Alkali Metal + Chlorine → Metal Chloride
- 20. Alkali Metal + Water → Metal Hydroxide + Hydrogen
- 21. Halogens
- 22. It decreases.
- 23. Down the group atoms get bigger, there is a weaker attraction between the nucleus and so it becomes harder to lose electrons.
- 24. They have 7 electrons in their outermost shell.
- 25. Yellow
- 26. Green
- 27. Red-Brown
- 28. Purple

C3: Structure and Bonding

- 1. What are the three types of chemical bonds?
- 2. What is an ionic bond?
- 3. What is a covalent bond?
- 4. What is a metallic bond?
- 5. How does an ionic compound form?
- 6. What is the charge of an ion from group 1?
- 7. What is the charge of an ion from group 2?
- 8. What is the charge of an ion from group 6?
- 9. What is the charge of an ion from group 7?
- 10. What is an ionic compound?
- 11. What are simple molecules?
- 12. What is the state symbol for a solid?
- 13. What is the state symbol for a liquid?
- 14. What is the state symbol for a gas?
- 15. What is the state symbol for a solution?
- 16. What are the properties of ionic compounds?
- 17. Why do ionic compounds have high melting and boiling points?
- 18. Why can't ionic compounds conduct electricity when solid?
- 19. Why can ionic compounds conduct electricity when molten or dissolved?
- 20. What are the properties of simple molecules?
- 21. Why do simple molecules have low melting and boiling points?
- 22. What are examples of giant covalent structures?
- 23. What is the structure of diamond?
- 24. What is the structure of graphite?
- 25. Why can graphite conduct electricity?
- 26. Why do diamond and graphite have high melting and boiling points?
- 27. What is graphene?
- 28. What are the properties of graphene?
- 29. What are fullerenes?

- 1. Ionic, covalent and metallic bonds.
- 2. A bond between a metal and non-metal in which electrons have been exchanged.
- 3. A bond between two non-metals in which electrons are shared.
- 4. A bond between metal atoms in which electrons are delocalised.
- 5. The metal loses electrons to get a full outer shell becoming a positively charged ion while the nonmetal gains electrons becoming a negatively charged ion. The oppositely charged ions are electrostatically attracted to each other.
- 6. +1
- 7. +2
- 8. -2
- 9. -1
- 10. A giant structure of ions which are held together by strong electrostatic forces of attraction between oppositely charged ions.
- 11. Small molecules such as oxygen and water that contain atoms joined together by covalent bonds.
- 12. (s)
- 13. (I)
- 14. (g)
- 15. (aq)
- 16. High melting and boiling point. Don't conduct electricity when solid but do when molten or dissolved.
- 17. Strong bonds between molecules which takes lots of energy to overcome.
- 18. Ions are unable to move freely.
- 19. Ions are free and so are able to move.
- 20. Low melting and boiling point. Poor conductors.
- 21. Weak bonds between the molecules and so little energy is needed to overcome these bonds.
- 22. Diamond and graphite
- 23. Each carbon atom is covalently bonded to 4 others in a giant structure.
- 24. Each carbon atom is covalently bonded to 3 others in a giant structure.
- 25. It has free electrons which are able to move.
- 26. Strong covalent bonds between atoms which take lots of energy to overcome.
- 27. A single layer of graphite.
- 28. Conducts electricity and very strong.
- 29. Molecules of carbon atoms with hollow shapes.

C5: Chemical Changes

- 1. How do metal oxides form?
- 2. What is reduction?
- 3. What is oxidation?
- 4. What happens to metals when they react with other substances?
- 5. What is the reactivity of a metal determined by?
- 6. List metals in order of reactivity.
- 7. Which two non-metals are often included in the reactivity series?
- 8. How can metals less reactive than carbon be extracted from their oxides?
- 9. What is typically made when an acid reacts with some metals?
- 10. How can acids be neutralised?
- 11. What is the general word equation for a metal reacting with an acid?
- 12. What is an example of an alkali?
- 13. What is an example of a base?
- 14. What is the general word equation for a metal hydroxide reacting with an acid?
- 15. What is the general word equation for a metal oxide reacting with an acid?
- 16. What is the general word equation for a metal carbonate reacting with an acid?
- 17. What type of salt does hydrochloric acid produce?
- 18. What type of salt does sulphuric acid produce?
- 19. What type of salt does nitric acid produce?
- 20. How can a soluble salt be made?
- 21. What type of ions do acids produce in solution?
- 22. What type of ions do alkalis produce in solution?
- 23. What is the pH scale?
- 24. What can be used to measure pH?
- 25. What is a pH of 7?
- 26. What is a pH value less than 7?
- 27. What is a pH value more than 7?
- 28. What happens during a neutralisation reaction?
- 29. Write an equation to represent a neutralisation reaction.

- 1. Metals react with oxygen in an oxidation reaction.
- 2. Loss of oxygen / gain of electrons.
- 3. Gain of oxygen / loss of electrons.
- 4. Metal atoms form positive ions.
- 5. Their tendency to make positive ions.
- 6. Potassium Sodium, Lithium, Calcium, Magnesium, Zinc, Iron, Copper
- 7. Hydrogen and carbon.
- 8. Reduction with carbon.
- 9. Salts and Hydrogen.
- 10. Adding it to an alkali.
- 11. Metal + Acid → Salt + Hydrogen
- 12. Soluble metal hydroxides.
- 13. Insoluble metal hydroxides and metal oxides.
- 14. Metal Hydroxide + Acid → Salt + Water
- 15. Metal Oxide + Acid → Salt + Water
- 16. Metal Carbonate + Acid → Salt + Water + Carbon Dioxide
- 17. Chloride
- 18. Sulphate
- 19. Nitrate
- 20. Add acid in excess to a solid insoluble substance such as metal, metal oxide, carbonate or hydroxide and filter off the excess. Crystallise the salt solution made.
- 21. H⁺
- 22. OH⁻
- 23. A scale from 0 to 14 that is a measure of acidity or alkalinity of a solution.
- 24. Universal indicator or pH probe.
- 25. Neutral solution
- 26. Acidic solution
- 27. Alkali solution
- 28. Hydrogen ions react with hydroxide ions to make water.
- 29. H^+ (aq) + OH^- (aq) $\rightarrow H_2O(I)$

C6: Electrolysis

- 1. When can an ionic compound conduct electricity?
- 2. What is an electrolyte?
- 3. What happens when an electric current is passed through an electrolyte?
- 4. What is the cathode?
- 5. What is the anode?
- 6. Which electrode are positive ions attracted to?
- 7. Which electrode are negative ions attracted to?
- 8. What happens at the electrode?
- 9. What happens when a simple ionic compound is electrolysed?
- 10. When is electrolysis used to extract metals?
- 11. What are the problems of extracting metals using electrolysis?
- 12. How is aluminium extracted using electrolysis?
- 13. Why is a mixture used as the electrolyte for the extraction of aluminium?
- 14. Why must the positive electrode be replaced during the electrolysis of aluminium?
- 15. During the electrolysis of an aqueous solution what does the ion discharged at the electrode depend on?
- 16. What is formed on the negative electrode if the metal is more reactive than hydrogen?
- 17. When is oxygen made at the positive electrode?

- L. When it is melted or dissolved.
- 2. A liquid or solution that is able to conduct electricity.
- 3. The ions move to the electrodes.
- 4. Negative electrode.
- 5. Positive electrode.
- 6. Negative electrode.
- 7. Positive electrode.
- 8. The ions are discharged at the electrodes producing elements.
- 9. The metal forms at the cathode and the non-metal is produced at the anode.
- 10. When the metal is too reactive to be extracted by reduction with carbon, or if the metal reacts with carbon.
- 11. Large amounts of energy are needed to melt the compound and produce the electrical current.
- 12. The aluminium oxide is melted and mixed with cryolite. The aluminium ions move to the negative electrode to make aluminium and the oxygen ions move to the positive electrode to react with the carbon electrode and make carbon dioxide.
- 13. The cryolite lowers the melting point of aluminium oxide.
- 14. The oxygen reacts with the carbon in the electrode burning it away.
- 15. The reactivity of the elements involved.
- 16. Hydrogen
- 17. When the solution does not contain halide ions.

Topic	C2 Periodic Table
Qu	Explain why is more/less reactive than
Info	You may be asked to explain why elements in group 1 or group 7 are more or less reactive than each other. To answer this, you will need to: 1. Identify which group the elements you have been asked about are in. 2. Identify the elements you have been asked to compare. 3. State that as you go down the group the atom gets bigger. 4. State that the outermost electron gets further from the nucleus. 5. State that there is a weaker force of attraction between the nucleus and the outer electrons. 6. If the element in in group 1 state "it is easier to lose an electron and so reactivity increases down the group" while if the element is in group 7 state "it is harder to gain an electron and so reactivity decreases down the group"
Тор Тір	 Group 1: Reactivity increases down the group, they lose one electron in their outer shell Group 7: Reactivity decreases down the group, they gain one electron in their outer shell
Model Answer	 Explain why potassium is more reactive than lithium. Lithium and potassium are in group 1 in the periodic table. Potassium is more reactive than lithium because as you go down the group the atom gets bigger The outermost electron is further away from the nucleus There is a weaker force of attraction between the nucleus and the outer electrons. It is easier to lose an electron and so reactivity increases down the group
Practice	 Explain why chlorine is less reactive than fluorine Explain why sodium is less reactive than potassium Explain why chlorine is more reactive than iodine Explain why reactivity increases down group 1 Explain why reactivity decreases down group 7

Topic	C2 Periodic Table
Qu	Explain the arrangement of the first 20 elements in todays periodic table. Identify and explain the changes that Mendeleev made to the periodic table. Explain why Mendeleev's periodic table was accepted over time.
Info	At least one of these questions is likely to come up. The examiner is going to be looking for a clear answer written in a logical sequence.
Top Tip	Be careful that you use key words/phrases accurately (these are in bold in your model answers below).
Model Answer	Explain the arrangement of the first 20 elements in todays periodic table. The elements are arranged in order of their atomic number. Elements in the same group have the same number of electrons in their outermost shell.
Model Answer	Identify and explain the changes that Mendeleev made to the periodic table. Mendeleev left gaps for the discovery of new elements. He also rearranged the position of some of the elements so that the properties fitted other elements in the same group.
Model Answer	Explain why Mendeleev's periodic table was accepted over time. New elements were discovered that fitted into the gaps that Mendeleev had predicted. Also, when the neutron was discovered, this led to an understanding of isotopes which explained why Mendeleev needed to swap the position of some elements.
Practice	Learn and practice the model answers above.

Topic	C3 Structure and Bonding
Qu	Explain the properties of
Info	You could be asked to explain the properties of different materials. Examples of materials include: • Any named salt • Any named metal • Diamond • Graphite To answer this question, you will need to do the following: 1. Identify the type of bond involved. 2. Describe the structure of the material. 3. Identify a property of the material 4. Explain why it has this property linking back to its structure. 5. Repeat steps 3 and 4 until you have no more properties.
Top Tip	Went explaining why a material does or does not conduct electricity by careful. When talking about materials with covalent or metallic bonds you need to use the key term "electron", when you are discussing a material with ionic bonds you need to use the key term "ion".
Model Answer	 Graphite has covalent bonds. Graphite is made up of layers of carbon atoms. Each carbon atom is covalently bonded to 3 others in a giant structure. Graphite conducts electricity. It conducts electricity because it has delocalised electrons which are able to move. Graphite is slippery and soft. It is slippery and soft because it is made up of layers that can slide over each other. Graphite also has high melting and boiling points. This is because it has strong covalent bonds between atoms which take lots of energy to overcome.
Practice	 Learn and practice the model answer above. Explain the properties of diamond Explain the properties of the metal copper Explain the properties of sodium chloride Explain the properties of carbon nanotubes.


Topic	C5 Chemical Changes
Qu	Explain what you would observe when a metal is added to an acid. Explain what happens when any acid reacts with any alkali. Describe how you could determine the pH of a substance.
Info	At least one of these questions is likely to come up. The examiner is going to be looking for a clear answer written in a logical sequence.
Тор Тір	Be careful that you use key words/phrases accurately (these are in bold in your model answers below).
Model Answer	Explain what you would observe when a metal is added to an acid. When a metal is added to an acid, I would predict that I would observe bubbles. This is because when a metal is added to an acid hydrogen is produced. I would also expect the container to feel warm, this is because a metal reacting with an acid is an exothermic reaction. Finally, I would expect the metal to disappear over time. This is because it is reacting and making the salt which would dissolve.
Model Answer	Explain what happens when any acid reacts with any alkali. When an acid and alkali react the H ⁺ ions from the acid react with the alkalis OH ⁻ ions to make water.
Model Answer	Describe how you could determine the pH of a solution. To determine the pH of a solution you could add universal indicator. You would observe the colour that the indicator turned and use a chart to identify the pH. You could alternatively use a pH probe by dipping this into the solution and recording the value on the digital display.
Practice	Learn and practice the model answers above.


Topic	C6 Electrolysis
Qu	Identify what forms at the electrode and explain how this happens.
Info	You will usually be given a diagram of the electrolysis and the name of the solution that is undergoing electrolysis. You will then be asked what forms at one or both electrodes and be asked to explain how this happens. To answer this question: 1. Identify what forms at the electrode. You can use the tips below to help you with this. 2. Identify the charge of the ion. 3. Identify that they are attracted to the oppositely charged electrode. 4. Identify if the ion loses or gains electrons. 5. Identify (again) what is formed
Top Tip	Anode: At the positive electrode negative ions lose their electrons If the solution doesn't contain halides oxygen is made. This oxygen then reacts with the carbon in the electrode to make carbon dioxide. Cathode: At the negative electrode positive ions gain electrons. If the metal is more reactive than hydrogen, then hydrogen forms at the electrode instead.
Model Answer	 Explain what forms at the cathode during the electrolysis of copper sulfate. Copper forms at the negative electrode. Copper ions have a positive charge and so are are attracted to the oppositely charged negative electrode. The copper ions gain electrons to form copper Explain what forms at the anode during the electrolysis of copper sulfate. Oxygen forms at the negative electrode. Oxygen ions have a negative charge and so are are attracted to the oppositely charged positive electrode. The oxygen ions lose electrons to form oxygen. The oxygen then goes on to react with carbon in the electrode to make carbon dioxide gas.
Practice	 Explain what forms at the electrodes during electrolysis of iron sulfate Explain what forms at the electrodes during electrolysis of copper chloride Explain what forms at the electrodes during electrolysis of sodium chloride

Topic	C6 Electrolysis
Qu	Explain why the electrodes are replaced when O_2 is formed at electrolysis. Explain when hydrogen gas forms at the negative electrode. Explain how halogen gases can be formed at the positive electrode.
Info	At least one of these questions is likely to come up. The examiner is going to be looking for a clear answer written in a logical sequence.
Тор Тір	Be careful that you use key words/phrases accurately (these are in bold in your model answers below).
Model Answer	Explain why the electrodes are replaced when O ₂ is formed at electrolysis. During electrolysis the negative oxygen ions will be attracted to the positive electrode that is made of carbon. The oxygen will then react with the carbon electrode forming carbon dioxide due to the high temperatures. This means that over time the electrode will wear away.
Model Answer	Explain when hydrogen gas forms at the negative electrode. During electrolysis water breaks down to form hydrogen H ⁺ ions. If the metal ions produced during electrolysis are less reactive than hydrogen, then it is the hydrogen ions that are discharged at the negative electrode. Here they gain electrons to form hydrogen molecules.
Model Answer	Explain how halogen gases can be formed at the positive electrode. Halide ions are negatively charged and so will be attracted to the positive electrode. Here the halide will lose electrons and form molecules. For example, chloride ions will form chlorine gas.
Practice	1. Learn and practice the model answers above.

RP8


Making Salts






Stir the solution until no more base will react.

Filter the contents to remove the excess base.





Stop heating when crystals start to appear.

Pour the filtered solution into an evaporating basin and evaporate the water using a water bath.







RP8: Making Salts Practical




- 1. What is neutralisation?
- 2. What is filtration?
- 3. What is evaporation?
- 4. What is crystallisation?
- 5. Why is the insoluble base added in excess?
- 6. Why is the insoluble base added to warm acid?
- 7. Why is the mixture stirred?
- 8. What type of acid would you need to use if you wanted to make a sulfate?
- 9. What type of acid would you need to use if you wanted to make a chloride?
- 10. What type of acid would you need to use if you wanted to make a nitrate?
- 11. How is the remaining insoluble base removed from the solution?
- 12. What is made during neutralisation?
- 13. How is the water removed from the salt solution?
- 14. What substances can react with an acid to make a soluble salt?
- 15. How can we make sure that all the substances have reacted when making salts?
- 16. What safety precautions should you use when making salts?

- A chemical reaction between an acid and a base in which a salt and water are formed.
- 2. A separation technique used to remove an insoluble substance from a solution.
- 3. A separation technique used to remove water from a solution.
- 4. A technique that follows evaporation in which crystals form.
- 5. To make sure that all of the acid has reacted and is neutralised.
- 6. To increase the rate or reaction.
- 7. To increase the rate of reaction.
- 8. Sulfuric Acid
- 9. Hydrochloric Acid
- 10. Nitric Acid
- 11. Filtration
- 12. Salt and water.
- 13. Evaporation
- 14. Metal, metal hydroxide, metal oxide, metal carbonate, alkali.
- 15. Warm the solution and stir.
- 16. Wear safety goggles.

Practical	RP8 Making Salts
Qu	Explain how you could make a pure dry sample of
Info	You could be asked this question for lots of different salts. Some that have come up in the past include: • Magnesium Sulfate • Calcium Chloride • Potassium Chloride • Sodium Sulfate To answer this question you will need to do the following: 1. Identify the base and acid that you would add together. 2. Describe how you would ensure all the base had reacted. 3. Describe how you would remove the unreacted base. 4. Describe how you will make sure all the water is removed from the salt.
Top Tip	Sometimes you can be asked to write a method, while sometimes they give you a method and ask you to improve it – watch out here that they are adding the correct chemicals together.
Model Answer	Explain how you could make a pure dry sample of magnesium sulfate. I would add magnesium oxide in excess to warmed sulfuric acid. This would be stirred until no more magnesium oxide will react. To remove the excess magnesium oxide the solution should be filtered using a funnel and filter paper. The solution will then be warmed in an evaporating dish using a water bath to evaporate the water. As soon a crystals start to form the solution will be removed from the heat so that crystallisation can occur.
Practice	 Learn and practice the model answer above. Prepare and learn model answers to explain how you would make pure dry samples of calcium chloride, potassium chloride and sodium sulfate.

Electrolysis

1. Set up equipment as shown in the diagram:



- 2. Add the test solution to the beaker.
- 3. Dip the electrodes attached to a power supply into the beaker to complete the circuit.

Practical Video



4. Observe and record what happens at the electrodes.

RP9: Electrolysis Practical



- What is electrolysis?
- 2. What is an electrolyte?
- 3. For the electrolysis of an aqueous solution why is it able to conduct electricity?
- 4. What is the positive electrode known as?
- 5. What is the negative electrode known as?
- 6. What are the electrodes made from?
- 7. What happens to the positive ions in the solution?
- 8. What happens to the negative ions in the solution?
- 9. When is a metal formed at the cathode during electrolysis of an aqueous solution?
- 10. When is hydrogen formed at the cathode during electrolysis of an aqueous solution?
- 11. Which metals are more reactive than hydrogen?
- 12. Which metals are less reactive than hydrogen?
- 13. What would be formed at the cathode if any metal except copper, silver or gold were in solution?
- 14. What would be formed at the cathode if the solution contained copper?
- 15. Why would a solution containing copper appear to fade in colour during electrolysis?
- 16. Why would solutions containing any metal apart from copper, silver and gold not appear to fade in colour over time?
- 17. What will form at the anode if the negative ion is chloride?
- 18. What will form at the anode if the negative ion is a bromide?
- 19. What will form at the anode if the negative ion is a iodide?
- 20. What will form at the anode if the negative ion is a nitrate?
- 21. What will form at the anode if the negative ion is a sulfate?
- 22. When does oxygen form at the anode during electrolysis of an aqueous solution?
- 23. If you are asked to collect a gas during electrolysis why would you not use a test tube?
- 24. If you are asked to collect a gas during electrolysis what equipment should you use to collect it?
- 25. If you are investigating a hypothesis for electrolysis what are the possible variables, one you could change, and the others you would need to keep the same?


- 1. Breakdown of a substance using electricity.
- 2. A liquid containing free moving ions which is broken down by electricity during electrolysis.
- 3. The solution contains ions which are free to move.
- 4. Anode
- 5. Cathode
- 6. Graphite
- 7. They are attracted to the cathode and are reduced (gain electrons).
- 8. They are attracted to the anode and are oxidised (lose electrons).
- 9. When the metal is less reactive than hydrogen.
- 10. When the metal is more reactive than hydrogen.
- 11. Potassium, Sodium, Calcium, Magnesium, Aluminium, Zinc, Iron, Tin, Lead.
- 12. Copper, Silver, Gold
- 13. Hydrogen
- 14. Copper
- 15. The copper ions which give the solution its colour have moved to the cathode and formed copper metal. There are fewer copper ions in the solution and so the colour will fade.
- 16. The metal ions are more reactive than hydrogen and so are not removed from the solution.
- 17. Chlorine
- 18. Bromine
- 19. lodine
- 20. Oxygen
- 21. Oxygen
- 22. If the negative ion is not a group 7 halide.
- 23. They don't have a scale so can't be used to measure volume.
- 24. Small measuring cylinder.
- 25. The chemicals in the solution, volume of pure water used, the concentration of the solution, the volume of the solution, the distance between electrodes, the material of the electrodes, same depth of electrodes in the solution, constant power supply, the amount the solution is stirred,

Practical	Electrolysis Practical
Qu	Describe how you would test the hypothesis
Info	 You could be asked this question for some different hypothesis. Some that have come up in the past include: When different salt solutions are electrolysed with inert electrodes, the product at the negative electrode is always a metal. When different salt solutions are electrolysed with inert electrodes, the product at the negative electrode is always hydrogen. To answer this question you will need to do the following: Describe how to set up the equipment (drawing a labelled diagram is even better) Identify what you will be changing Identify what you will record/measure Identify what you will control
Тор Тір	Sometimes you may be asked to predict what will be formed at the electrodes. Remember for the positive electrode chlorides make chlorine, bromides make bromine and iodides make iodine. For every other negative ion oxygen will be made. At the negative electrode unless you have copper or silver in the solution you will make hydrogen gas. If you have copper or silver, you will make these metals at the electrode.
Model Answer	Describe how you would test the hypothesis 'when different salt solutions are electrolysed with inert electrodes, the product at the negative electrode is always a metal.' Set up equipment as shown in the diagram. Add your first test solution to the beaker, dip in the electrodes and turn on the power supply. Record observations at each electrode into results table. Repeat for different test solutions containing different metal ions. If the hypothesis is correct a metal should form on the cathode for each test solution. Control the distance the electrodes are dipped into the solution.
Practice	 Learn and practice the model answer above. Prepare and learn model answers to explain how you would test the hypothesis that hydrogen is always made at the negative electrode

RP10

Temperature Changes

- 1. Add the acid into a polystyrene cup.
- 2. Record the start temperature of the solution.
- 3. Add the other reactant (test solution) to the polystyrene cup.
 - 4. Add the lid and stir the solution
 - 5. Record the highest/lowest temperature that you observe.
 - 6. Calculate the temperature change.
- 7. Repeat steps 1-6 2 more times to identify outliers and calculate an average.
 - 8. Repeat sets 1-7 with 4 different test solutions.



RP10: Temperature Changes



- 1. If you are investigating the effect of a particular factor on the temperature change what are the possible variables, one you could change, and the others you would need to keep the same?
- 2. When investigating the effect of a particular factor on temperature change what will be your dependent variable?
- 3. How do you determine temperature change?
- 4. Why should a polystyrene cup be used when investigating temperature change?
- 5. Why should the polystyrene cup used have a lid?
- 6. How can you use temperature change to determine the reactivity of some metals?
- 7. What equipment would you use to measure the volume of your solutions?
- 8. If you were adding a solid to the acid, what equipment would you use to measure the mass?
- 9. What equipment would you use to measure the start and end temperature?
- 10. How would you know if the reaction was endothermic?
- 11. What is an endothermic reaction?
- 12. What is an exothermic reaction?
- 13. How would you know if the reaction was exothermic?

- 1. Type of acid, concentration of acid, volume of acid, type of metal, surface area of metal, mass of metal
- 2. Temperature change.
- Measure the start and end temperature. Take the start temperature away from the end temperature.
- 4. Polystyrene is a good insulator and reduces energy transfers with the surroundings.
- 5. Reduces energy transfers with the surroundings.
- Add the metals to a controlled volume of acid in a polystyrene cup and record the temperature change.
 The larger the temperature change the more reactive the metal.
- 7. Measuring cylinder
- 8. Balance
- 9. Thermometer
- 10. The temperature would decrease.
- 11. A reaction that transfers energy from the surroundings.
- 12. A reaction that transfers energy to the surroundings.
- 13. The temperature would increase.

Practical	RP10: Temperature Change
Qu	Explain how you could investigate the effect of on temperature change.
Info	You could be asked this question for some different variables. Some that have come up in the past include: • The reacting acid and metal • The reacting acid and metal carbonate • Neutralisation reactions • Displacement of metals To answer this question you will need to do the following: 1. Describe how to set up the equipment (drawing a labelled diagram
	is even better) 2. Identify what you will be changing 3. Identify what you will record/measure 4. Identify what you will control
Тор Тір	You could be asked to write a method to explain how you would determine the reactivity of some metals. To do this you need to write a method for investigating temperature change. The more reactive the metal, the greater the change in temperature. When you have your results for the different metals you would list them in order of biggest temperature to smallest temperature change. By doing this you are listing the metals in order of reactivity.
Model Answer	Explain how you could investigate the effect of the reacting acid and metal on temperature change. Set up equipment as shown in the diagram. Add 50cm³ acid into a polystyrene cup and record the start temperature of the solution. Add a metal to the cup and then add the lid. Stir the solution through the hole in the lid using the thermometer and record the highest/lowest temperature change observed. Calculate the temperature change and repeat twice more to calculate an average. Repeat the whole practical with 4 different metals. Control the type, volume and concentration of acid.
Practice	 Learn and practice the model answer above. Prepare and learn model answers to explain how you could investigate the effects of reacting acid and metal carbonate, neutralisation reactions and displacement reactions on temperature change.